

Fixed Attenuators

Features

- Accurate attenuation with doped fiber
- Low Back Reflection
- Broadband performance
- 0 to 30dB availability
- Clean and scratch-free ferrule end face
- Optical performance 100% factory tested

Benefits

- Prevents receiver overload
- Easy to install
- Optimized performance
- Multiple types
- Choose any dB level

Applications

- Test and Turn-up
- DWDM systems
- Optical Transport
- DataCom and Telecom networks



Connected Fibers attenuators are designed to allow you to specify the desired power level at your receiver.


Connected Fibers stocks singlemode and multimode plug type attenuators with all standard connector types. These high quality attenuators can be utilized for many applications ranging from telecom, CATV, datacom, medical, and military applications. You can be confident in their performance to control the power of your system.



Performance Specifications

Attenuation Level	Singlemode 0dB~30dB	Multimode 0-12dB
Operating Wavelength	1310 & 1550nm (1240nm-1650nm)	850nm OR 1300nm
Attenuation Accuracy	1-5dB, +/-0.5dB, 6-20dB, +/-10%	+/-10%
Return Loss	-50dB(UPC), -60dB(APC)	N/A
Operating Temperature	-40 Deg C to +75 Deg C	-40 Deg C to +75 Deg C

Ordering Guide



Example Part Number: ATP-SCU-05-SM, Description: SC attenuator, 5 dB, Singlemode

Call now to place
your order:
1-866-899-7953

Tel: 1-866-899-7953 Fax: 678-623-0652 sales@connectedfibers.com www.connectedfibers.com

Connected Fibers, LLC MAKES NO EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OR OTHERWISE, with respect to its products. In addition, while the information herein is believed to be reliable, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. All recommendations or suggestion for use are made without guarantee – inasmuch as conditions of use are beyond our control. The properties given are typical values, and are not intended for use in preparing specifications. Users should make their own test to determine the suitability of this product for their own purposes. Prices subject to change without notice. All statements, technical information related to the Seller's products are based on information believed to be reliable, but the accuracy or completeness thereof is not guaranteed.