

Polishing Fixture SFP-550 series	
Part Number	Description
PH55-FLM-16	Ferrule/PC - 1.25mm diam - Stnd Flange - Flat Face - Zirconia - MU/LC - 16-axis- I.P.C. type
PH55-FLM-40	Ferrule/PC - 1.25mm diam - Stnd Flange - Flat Face - Zirconia - MU/LC - 40-axis- I.P.C. type
PH55-FLM-48	Ferrule/PC - 1.25mm diam - Stnd Flange - Flat Face - Zirconia - MU/LC - 48-axis- I.P.C. type
PH55-FF-20	Ferrule/PC - 2.5mm diam - Stnd Flange - PreDome - Zirconia - 20-axis- I.P.C. type
PH55-FF-24	Ferrule/PC - 2.5mm diam - Stnd Flange - PreDome - Zirconia - 24-axis- I.P.C. type
PH55-FF-40	Ferrule/PC - 2.5mm diam - Stnd Flange - PreDome - Zirconia - 40-axis- I.P.C. type
PH55-FF-48	Ferrule/PC - 2.5mm diam - Stnd Flange - PreDome - Zirconia - 48-axis- I.P.C. type
PH55-F0410-220	Ferrule/PC - Custom 1.25mm ferrule holder - 18-axis - I.P.C. Type (ARINC801)
PH55-F0410-240	Ferrule/PC - Custom 1.6mm ferrule holder - 18-axis - I.P.C. Type (MIL 29504/5)
PH55-F0410-250	Ferrule/PC - Custom 1.6mm ferrule holder - 18-axis - I.P.C. Type (MIL 29504/4)
PH55-F0332-800	Ferrule/PC - Custom 2.0mm ferrule holder - 24-axis - I.P.C. Type (Lemo F2)
PH55-F0391-140	Ferrule/PC - Custom 2.5mm ferrule holder - 20-axis - I.P.C. Type (ELIO)
PH55-FF8A-18-1.5	Ferrule/APC - 2.5mm diam - 1.5mm Flange - Step Ferrule, 18-axis - I.P.C. type
PH55-FF8A-18-1.3	Ferrule/APC - 2.5mm diam - 1.3mm Flange - Step Ferrule, 18-axis - I.P.C. type
PH55-FF8C-18-1.5	Ferrule/APC - 2.5mm diam - 1.5mm Flange - Conical Ferrule, 18-axis - I.P.C. type
PH55-FF8C-18-1.3	Ferrule/APC - 2.5mm diam - 1.3mm Flange - Conical Ferrule, 18-axis - I.P.C. type
PH55-FF8A-24-1.5	Ferrule/APC - 2.5mm diam - 1.5mm Flange - Step Ferrule, 24-axis - I.P.C. type
PH55-FF8A-24-1.3	Ferrule/APC - 2.5mm diam - 1.3mm Flange - Step Ferrule, 24-axis - I.P.C. type
PH55-FF8C-24-1.5	Ferrule/APC - 2.5mm diam - 1.5mm Flange - Conical Ferrule, 24-axis - I.P.C. type
PH55-FF8C-24-1.3	Ferrule/APC - 2.5mm diam - 1.3mm Flange - Conical Ferrule, 24-axis - I.P.C. type
PH55-FF8A-40-1.5	Ferrule/APC - 2.5mm diam - 1.5mm Flange - Step Ferrule, 40-axis - I.P.C. type
PH55-FF8A-40-1.3	Ferrule/APC - 2.5mm diam - 1.3mm Flange - Step Ferrule, 40-axis - I.P.C. type
PH55-FF8C-40-1.5	Ferrule/APC - 2.5mm diam - 1.5mm Flange - Conical Ferrule, 40-axis - I.P.C. type
PH55-FF8C-40-1.3	Ferrule/APC - 2.5mm diam - 1.3mm Flange - Conical Ferrule, 40-axis - I.P.C. type
PH55-FP-20	FC/PC Connector Holder, 20-axis- I.P.C. type
PH55-FP-24	FC/PC Connector Holder, 24-axis- I.P.C. type
PH55-FP8R-18-I	FC/APC Step Connector Holder - Narrow Key 2mm - 18-axis- I.P.C. type
PH55-FP8N-18-I	FC/APC Step Connector Holder - Wide Key 2.14mm - 18-axis- I.P.C. type
PH55-FP8RC-18-I	FC/APC Conical Connector Holder - Narrow Key 2mm - 18-axis- I.P.C. type
PH55-FP8NC-18-I	FC/APC Conical Connector Holder - Wide Key 2.14mm - 18-axis- I.P.C. type
PH55-FP8R-24	FC/APC Step Connector Holder - Narrow Key 2mm - 24-axis- I.P.C. type
PH55-FP8N-24	FC/APC Step Connector Holder - Wide Key 2.14mm - 24-axis- I.P.C. type
PH55-FP8RC-24	FC/APC Conical Connector Holder - Narrow Key 2mm - 24-axis- I.P.C. type
PH55-FP8NC-24	FC/APC Conical Connector Holder - Wide Key 2.14mm - 24-axis- I.P.C. type
PH55-CP-20	SC/PC Connector Holder, 20-axis- I.P.C. type
PH55-CP-24	SC/PC Connector Holder, 24-axis- I.P.C. type
PH55-CP-32	SC/PC Connector Holder, 32-axis IPC type
PH55-CP8A-18	SC/APC - Step Ferrule - Connector Holder, 18-axis- I.P.C. type
PH55-CP8C-18	SC/APC - Conical Ferrule - Connector Holder, 18-axis- I.P.C. type
PH55-CP8A-24	SC/APC - Step Ferrule - Connector Holder, 24-axis- I.P.C. type
PH55-CP8C-24	SC/APC - Conical Ferrule - Connector Holder, 24-axis- I.P.C. type
PH55-CP8A-32	SC/APC - Step Ferrule - Connector Holder, 32-axis- I.P.C. type
PH55-CP8C-32	SC/APC - Conical Ferrule - Connector Holder, 32-axis- I.P.C. type

PH55-SP-20	ST/PC Connector Holder, 20-axis- I.P.C. type
PH55-SP-28	ST/PC Connector Holder, 28-axis- I.P.C. type
PH55-PL-24	LC/PC Connector Holder, 24-axis- I.P.C. type
PH55-PL-24HP	LC/PC Connector Holder, 24-axis- I.P.C. High pressure type
PH55-PL-32DHP	LC/PC Connector Holder, 32-axis- I.P.C. High pressure type, Duplex compatible
PH55-PL8A-20-B	LC/APC Connector Holder, 20-axis- I.P.C. type
PH55-PL8A-20HP-B	LC/APC Connector Holder, 20-axis- I.P.C. High pressure type
PH55-PL8A-24	LC/APC Connector Holder, 24-axis- I.P.C. type
PH55-PL8A-24HP	LC/APC Connector Holder, 24-axis- I.P.C. High pressure type
PH55-PL-40	LC/PC Connector Holder, 40-axis- I.P.C. type
PH55-PL-40HP	LC/PC Connector Holder, 40-axis- I.P.C. High pressure type
PH55-PL-48	LC/PC Connector Holder, 48-axis- I.P.C. type
PH55-PL-48HP	LC/PC Connector Holder, 48-axis- I.P.C. High pressure type
PH55-PL-48DHP	LC/PC Connector Holder, 48-axis- I.P.C. High pressure type, Duplex compatible
PH55-PL8A-40	LC/APC Connector Holder, 40-axis- I.P.C. type
PH55-PL8A-40HP	LC/APC Connector Holder, 40-axis- I.P.C. High pressure type
PH55-PL8A-48	LC/APC Connector Holder, 48-axis- I.P.C. type
PH55-PL8A-48HP	LC/APC Connector Holder, 48-axis- I.P.C. High pressure type
PH55-PM-24	MU/PC Connector Holder, 24-axis- I.P.C. type
PH55-PM-40	MU/PC Connector Holder, 40-axis- I.P.C. type
PH55-PM8A-20	MU/APC Connector Holder, 20-axis- I.P.C. type
PH55-M5P-20	SMA905 Connector Holder, 20-axis- I.P.C. type
PH55-M5P-18	SMA905 Connector Holder, 18-axis
PH55-EF-18-HS	E2000 Ferrule/PC I.P.C. Fixture, for Hubner & Suhner, 18-axis
PH55-EF8A-18-H	E2000 Ferrule/APC I.P.C. Fixture, for Hubner & Suhner, 18-axis
PH55-EF-18-RS	E2000 Ferrule/PC I.P.C. Fixture, for Reichle & De-Massari, 18-axis
PH55-EF8A-18-R	E2000 Ferrule/APC I.P.C. Fixture, for Reichle & De-Massari, 18-axis
PH55-EF-24-H	E2000 Ferrule/PC I.P.C. Fixture, for Hubner & Suhner, 24-axis
PH55-EF8A-24-H	E2000 Ferrule/APC I.P.C. Fixture, for Hubner & Suhner, 24-axis
PH55-EF-24-R	E2000 Ferrule/PC I.P.C. Fixture, for Reichle & De-Massari, 24-axis
PH55-EF8A-24-R	E2000 Ferrule/APC I.P.C. Fixture, for Reichle & De-Massari, 24-axis
PH55-EF-40-H	E2000 Ferrule/PC I.P.C. Fixture, for Hubner & Suhner, 40-axis
PH55-EF8A-40-H	E2000 Ferrule/APC I.P.C. Fixture, for Hubner & Suhner, 40-axis
PH55-EF-40-R	E2000 Ferrule/PC I.P.C. Fixture, for Reichle & De-Massari, 40-axis
PH55-EF8A-40-R	E2000 Ferrule/APC I.P.C. Fixture, for Reichle & De-Massari, 40-axis

Polishing Fixture SFP-550 series - MT Polishing

Part umber	Description
PH55-MTRJ-12S	Single body type Mini MT Holder, 12-axis
PH55-MTRJ-24S	Single body type Mini MT Holder, 24-axis
PH55-MT-12S1	Single body type Big MT/PC Holder, 12--axis
PH55-MT-24S1	Single body type Big MT/PC Holder, 24-axis
PH55-MT8A-12S1	Single body type Big MT/APC Holder, 12-axis
PH55-MT8A-24S1	Single body type Big MT/APC Holder, 24-axis
PH55-MT-12SQ1-B	Quick loading type One-lever action Big MT/PC Holder, 12--axis
PH55-MT-24SQ1-B	Quick loading type One-lever action Big MT/PC Holder, 24-axis
PH55-MT8A-12SQ1-B	Quick loading type One-lever action Big MT/APC Holder, 12-axis
PH55-MT8A-24SQ1-B	Quick loading type One-lever action Big MT/APC Holder, 24-axis
PH55-MT-PRM-B1	MT POLISHING PRESURIZING MODULE FOR SFP-550C/ 550E3/ 550S3
PH55-MT-PRM-B2	MT POLISHING PRESURIZING MODULE FOR SFP-550E/ 550S/ 550S2
PH55-MT-PRM-B3	MT POLISHING PRESURIZING MODULE FOR SFP-120A/ 550/ 550B

Polishing Fixture SFP-70D	
Part Number	Description
PH07-FF-6	Ferrule/PC - 2.5mm diam - Standard Flange - 6-axis- I.P.C. Type
PH07-F0188-910	Ferrule/PC - Custom 2.5mm ferrule holder - 6-axis - I.P.C. Type (Lemo F2)
PH07-FP-6	FC/PC connector holder, 6-axis- I.P.C. type
PH07-FP8R-6	FC/APC step ferrule/ narrow key (2.00) 6-axis- I.P.C. type
PH07-FP8N-6	FC/APC step ferrule/ wide key (2.14) 6-axis- I.P.C. type
PH07-FP8RC-6	FC/APC conical ferrule/ narrow key (2.00) 6-axis- I.P.C. type
PH07-FP8NC-6	FC/APC conical ferrule/ wide key (2.14) 6-axis- I.P.C. type
PH07-SP-6	ST connector, 6-axis - I.P.C. type
PH07-CP-6	SC/PC connector holder, 6-axis - I.P.C. type
PH07-CP8A-6	SC/APC step ferrule connector holder, 6-axis - I.P.C. type
PH07-CP8C-6	SC/APC conical ferrule connector holder, 6-axis - I.P.C. type
PH07-FLM-6	Ferrule/PC - 1.25mm diam - Standard Flange - 6-axis- I.P.C. type
PH07-PL-6	LC/PC connector holder, 6-axis- I.P.C. type
PH07-PL8A-6	LC/APC connector holder, 6-axis- I.P.C. type
PH07-PM-6	MU/PC connector holder, 6-axis- I.P.C. type
PH07-PM8A-6	MU/APC connector holder, 6-axis- I.P.C. type
PH07-MT-6T1	Big MT/PC Holder, 6-axis
PH07-MT8A-6T1	Big MT/APC Holder, 6-axis

Polishing Fixture SFP-70D2	
Part Number	Description
PH072-FF-2	2.5mm/PC I.P.C. Ferrule Holder, 2-axis
PH072-MIL29504/04	Ferrule/PC - Custom 1.6mm ferrule holder - 2-axis - I.P.C. Type (Mil Termini)
PH072-MIL29504/05	Ferrule/PC - Custom 1.6mm ferrule holder - 2-axis - I.P.C. Type (Mil Termini)
PH072-F0186-910	Ferrule/PC - Custom 2.0mm ferrule holder - 2-axis - I.P.C. Type (Lemo F2)
PH072-FF8A-2-1.5	2.5mm/APC I.P.C. Step Ferrule Holder, 1.5mm flange, 2-axis
PH072-FF8A-2-1.3	2.5mm/APC I.P.C. Step Ferrule Holder, 1.3mm flange, 2-axis
PH072-FF8C-2-1.5	2.5mm/APC I.P.C. Conical Ferrule Holder, 1.5mm flange, 2-axis
PH072-FF8C-2-1.5	2.5mm/APC I.P.C. Conical Ferrule Holder, 1.3mm flange, 2-axis
PH072-FP-2	FC/PC I.P.C. Ferrule Holder, 2-axis
PH072-FP8R-2	FC/APC I.P.C. Step Ferrule Holder, Narrow Key (2mm), 2-axis
PH072-FP8N-2	FC/APC I.P.C. Step Ferrule Holder, Wide Key (2.14mm), 2-axis
PH072-FP8RC-2	FC/APC I.P.C. Conical Ferrule Holder, Narrow Key (2mm), 2-axis
PH072-FP8NC-2	FC/APC I.P.C. Conical Ferrule Holder, Wide Key (2.14mm), 2-axis
PH072-SP-2	ST/PC I.P.C. Ferrule Holder, 2-axis
PH072-CP-2	SC/PC I.P.C. Connector Holder, 2-axis
PH072-CP8A-2	SC/APC I.P.C. Step Ferrule - Connector Holder, 2-axis
PH072-CP8C-2	SC/APC I.P.C. Conical Ferrule - Connector Holder, 2-axis
PH072-FLM-2	1.25mm/PC I.P.C. Ferrule Holder, 2-axis
PH072-PL-2	LC/PC I.P.C. Connector Holder, 2-axis
PH072-PL8A-2	LC/APC I.P.C. Step Connector Holder, 2-axis
PH072-PM-2	MU/PC I.P.C. Connector Holder, 2-axis
PH072-PM8A-2	MU/APC I.P.C. Connector Holder, 2-axis
PH072-M5P-2	SMA905 Connector Holder, 2-axis - I.P.C. type
PH072-MT-1	Big MT/PC Holder, 1-axis
PH072-MT8A-1	Big MT/APC Holder, 1-axis
PH072-EF-2-HS	E2000 Ferrule/PC I.P.C. Fixture, for Hubner Suhner, 2-axis
PH072-EF2-RS	E2000 Ferrule/PC I.P.C. Fixture, for Reichle & De-Massari, 2-axis
FP-CB072	Transport case for SFP-70D2 series

Polishing Fixtures for SFP-LITE (RepairMate)

Part Number	Description
PHRM-FP	FC/PC Connector Holder, 1-axis
PHRM-CP	SC/PC Connector Holder, 1-axis
PHRM-SP	ST/PC Connector Holder, 1-axis
PHRM-PL	LC/PC Connector Holder, 1-axis
PHRM-MP	MU/PC Connector Holder, 1-axis
PHRM-CP8A	SC/APC Step / Conical Connector Holder, 1-axis
PHRM-FP8R	FC/APC Step / Conical Narrow Connector Holder, 1-axis
PHRM-FP8N	FC/APC Step / Conical Wide Connector Holder, 1-axis
PHRM-PL8A	LC/APC Connector Holder, 1-axis
PHRM-PM8A	MU/APC Connector Holder, 1-axis